

Darwin, Wallace and common descent

Juan Segurola

Core question

How did common descent and natural selection transform biological diversity from a fixed catalogue into a historical pattern produced by branching descent and differential survival and reproduction?

Historical and evolutionary context

Naturalists had accumulated vast collections, comparative anatomy, fossils and biogeographic observations. Breeders demonstrated that populations could change under selection, and geology had made deep time scientifically plausible. Yet species were still often organised within frameworks that treated their basic forms as fixed or separately created.

What could communities know before this transition?

People had long bred plants and animals selectively and recognised inheritance, variation and adaptation. Naturalists could classify similarities and differences among organisms. The limitation was a coherent historical mechanism connecting variation within populations to divergence, adaptation, extinction and the nested similarities seen across species.

What changed?

Common descent reorganised classification

Charles Darwin and Alfred Russel Wallace independently developed natural-selection explanations in the 1850s. Their joint 1858 presentation and Darwin's *On the Origin of Species* in 1859 argued that species are populations with histories, not immutable natural kinds. Similarity became evidence of genealogical relationship as well as descriptive resemblance.

Selection linked ecology to population change

Heritable variation combined with differential survival and reproduction provided a mechanism by which population composition could shift over generations. Darwin drew heavily on artificial selection, biogeography, ecology and the struggle over limited resources.

A tree replaced a ladder

Common descent implied branching rather than a single progressive scale. Extinction was normal in the history of life, and living species were not rungs toward a predetermined endpoint. This was a profound change in explanatory architecture even before heredity mechanisms were understood.

Why could this capability emerge?

Global collecting networks, colonial voyages, museums, taxonomy, breeding practice, Malthusian population arguments and deep-time geology all contributed. Wallace's fieldwork in the Malay Archipelago was especially important. The same imperial networks that expanded biological evidence also depended on unequal power, extraction and often uncredited local knowledge.

What later forms of knowledge did it enable?

Evolutionary reasoning became foundational in biology, biogeography, palaeontology and ecology. Later integration with genetics created population genetics and the modern evolutionary synthesis, while molecular biology supplied independent evidence of common descent.

New limits and risks

Natural selection is not a licence to treat every trait as an adaptation or every historical outcome as optimal. Nineteenth- and twentieth-century actors also misapplied evolutionary language to human hierarchy, racism, eugenics and social policy. Such political programmes

are not consequences required by evolutionary biology and must not be naturalised by scientific vocabulary.

What changed in the architecture of knowledge?

Biology acquired **historical explanation by branching descent**. Present form could be explained by population processes acting across deep time, with contingency, extinction and divergence replacing fixed essences as central organising concepts.

Loss, exclusion and uncertainty

Darwin and Wallace were not the first people to imagine species change, and their work depended on collectors, breeders, Indigenous guides and correspondents across global networks. Wallace's independent role must remain explicit. The inheritance problem was unresolved: Darwin lacked Mendelian genetics, and early evolutionary theory contained mechanisms later rejected or revised.

Dependency map

- INDIRECT ← PIO-010 Animal domestication and pastoral knowledge
- INDIRECT ← PIO-060 Geology and deep time
- PARALLEL → PIO-068 Mendel and statistical regularity in heredity
- INDIRECT → PIO-087 DNA and molecular heredity

References

1. Darwin, C. & Wallace, A. "On the Tendency of Species to form Varieties; and on the Perpetuation of Varieties and Species by Natural Means of Selection." *Journal of the Proceedings of the Linnean Society of London. Zoology* 3, 45-62 (1858). DOI: 10.1111/j.1096-3642.1858.tb02500.x.
2. Darwin, C. *On the Origin of Species*. London: John Murray (1859).
3. Wallace, A. R. *The Malay Archipelago*. London: Macmillan (1869).
4. Browne, J. *Charles Darwin: The Power of Place*. New York: Alfred A. Knopf; London: Jonathan Cape (2002).